# Childhood CANCER in Canada

WHILE RARE, CANCER

IS NO 1

CAUSE OF
DISEASE-RELATED
DEATHS IN
CHILDREN 14
AND UNDER.

CANADA, OVER

900 CHILDREN

ARE DIAGNOSED WITH

**CANCER** 

AND **140 WILL DIE FROM THEIR ILLNESS.** 

### **IMPACT OF TREATMENT**

NEARLY **TWO-THIRDS** OF ALL

## CHILDHOOD CANCER

SURVIVORS WILL EXPERIENCE AT LEAST

1 CHRONIC LONG-TERM PHYSICAL

AND/OR MENTAL SIDE-EFFECT. ALMOST

WILL EXPERIENCE SEVERE

OR LIFE-THREATENING LATE

#### **DIAGNOSTIC PATTERNS**

PATTERNS IN DIAGNOSIS VARY BY AGE GROUP AND SEX.

BOYS ARE 10%

MORE LIKELY TO BE 10%

DIAGNOSED WITH CANCER THAN GIRLS.

ALMOST HALF (46%)
CHILDHOOD CANCER
CASES ARE DIAGNOSED IN THE UNDER-FIVES.

## **NEW DATA**

THE CANCER IN YOUNG PEOPLE IN CANADA (CYP-C) SURVEILLANCE PROGRAM INCLUDES ALMOST ALL (99%)
CHILDREN 14 AND UNDER WHO HAVE BEEN DIAGNOSED WITH CANCER IN CANADA. THIS IS WHAT OUR DATA SHOWS:



**SURVIVAL RATES:** Cancer survival rates in children vary by cancer type. On average, **82**% of children survive at least 5 years after diagnosis.



**TIME TO DIAGNOSIS:** In Canada, the shortest time from first healthcare contact to diagnosis is in the Prairies and Quebec **(7 days)** whereas the longest time is in the Territories **(10 days)**.



**HEALTH CARE PROVIDERS:** The most commonly contacted health care provider for initial cancer-related symptoms is a family doctor (**50%**), followed by an emergency room physician (**29%**).



**COMING SOON!** If you like numbers and want to know more about the state of childhood cancer in Canada, stay tuned for the **CYP-C** Program's first report.

**CYP-C** is fully funded by the Public Health Agency of Canada.

We thank the C<sup>17</sup> Council, participating pediatric oncology centres and members of the program's management and steering committees for their vision, guidance and support. We are grateful to patients and their families for providing information for CYP-C.

FOR MORE INFORMATION VISIT Canada.ca SEARCH: Childhood Cancer in Canada

luno 2016



Canada